

Catálogo de componentes eletrônicos

since 1997

Succeed in electronic industry

since 1997



ALLCONNE INTERNATIONAL CO.,LIMITED
CHANGZHOU RUIYING IMPORT & EXPORT CORP.LTD.



Add: 612&614,Fuchen Commercial Bldg.No.2,
Tongjiang Road No.177,Changzhou,China



TEL: 0086-519-88137788, 88138822, 85602605, 85602606



FAX: 0086-519-86906166



E-mail: spike@spike-components.com, spike@allconne-ruiying.com.cn



MSN: spike@spike-components.com



SKYPE: ALLANTONG2006



WEB: [Http://www.spike-components.com](http://www.spike-components.com)



ALLCONNE INTERNATIONAL CO.,LIMITED
CHANGZHOU RUIYING IMPORT & EXPORT CORP.LTD.



PROFILE

Since established in 1997, ALLCONNE INTERNATIONAL CO., LIMITED(CHANGZHOU RUIYING IMPORT&EXPORT CORP. LTD)has specialized in the production and export of potentiometer, capacitor &various electronic components. We devote ourselves to trade and offer a variety of services for a wide range of electronic components.



Nowadays, Our main products are already widely used in audio, video, computer, telecommunication, equipment and electrical control parts, such as resistor, capacitor, diode, remote control, capacitor, led, integrated circuit, battery charger, connector, terminal block and etc. Furthermore, we still continue in collecting more new items every year for customers' market test.

We are committed to provide the integrated and accurate service to meet customers demands whatever quality, price, packing, delivery for any orders of small quantities and various items. Sincere, Professional, Excellent, Innovate is our tenet,

Let us supply you electronic components. To save purchasing cost and time, contact us today.


CONTENTS

POTENTIOMETER & KNOB	A1, 2
CAPACITOR	B1, 2, 3, 4
RESISTOR	C1
VARISTOR & THERMISTOR	D1
TRANSISTOR	E1
DIODE & BRIDGE RECTIFIER	E2
LED PART & LED FINISH PRODUCT.....	F1, 2, 3
LAMP HOLDER & LED FLUORESCENT LAMP.....	F4
TRANSFORMER & INDUCTOR & CORE & PEARL.....	G1
SENSOR.....	H1
RELAY & SOCKET & STARTER.....	I1
FAN & SPEAKER & PIEZO & BUZZER & CRYSTAL	J1
SAFE-PROTECTION PART	K1
SHRINKABLE TUBE & SWITCH.....	L1
CABLE TIE& MULTIMETER & TEST PEN & SCALE	M1
TOOL	N1
TEMPERATURE CONTROLLER & ATTENUATOR.....	O1
TERMINAL BLOCK & BATTERY HOLDER	P1
CONNECTOR & APAPTOR & PLUG.....	Q1
CABLE & WIRE	R1
WIRELESS DOORBELL	S1
PCB & REMOTE CONTROL & MP3 A/V MODULE	T1
ANTENNA & SCALE	U1
ADAPTOR & CHARGER & SPEAKER BOX.....	V1




- * DIMMER POTENTIOMETER SPDT
- * DIMMER POTENTIOMETER SPST
- * TRIMMER POTENTIOMETER
- * ROTARY POTENTIOMETER
- * SWITCH POTENTIOMETER
- * 9MM ROTARY POTENTIOMETER
- * 12MM ROTARY POTENTIOMETER
- * 16MM ROTARY POTENTIOMETER
- * 17MM ROTARY POTENTIOMETER
- * WIREWOUND POTENTIOMETER
- * POTENTIOMETER KNOBS


A1



- * 3296 CERMET TRIMMER
- * 3362 CERMET TRIMMER
- * 3386 CERMET TRIMMER
- * 3006 CERMET TRIMMER
- * 3266 CERMET TRIMMER
- * 3323 CERMET TRIMMER
- * 3329 CERMET TRIMMER
- * 3590 PRECISION WIREWOUND POTENTIOMETER
- * 3314 SURFACE MOUNTED TRIMMER SEALED
- * 3224 SURFACE MOUNTED TRIMMER SEALED



* SLIDE POTENTIOMETER



KNOB

A2



RADIAL ALUMINUM ELECTROLYTIC CAPACITOR



CLASS	GB STANDARD	FEATURES	CAPACITANCE(UF)	RATED VOLTAGE(V.DC)
RADIAL TYPE	CD11W/CDV	5MM STANDARD	0.1~470	4~50
	CD11X/CD11C	7(9)MM STANDARD	0.1~470	6.3~63
	CD110/CD110X	STANDARD	0.1~33000	6.3~450
	CD268/CD81	WIDE TEMPERATURE, STANDARD	0.1~10000	6.3~450
	CD26L	WIDE TEMPERATURE, LONG LIFE	0.1~15000	6.3~450
	CD263L	SUPER LONG LIFE	0.47~15000	6.3~450
LOW IMPEDANCE	CD264	HIGH RIPPLE CURRENT	22~330	160~450
	CD288	LOW IMPEDANCE	0.47~15000	6.3~450
	CD288H	105C ,HIGH FREQUENCY,LOW IMPEDANCE	0.47~15000	6.3~450
	CD288HE	LONG LIFE,HIGH RIPPLE CURRENT,LOW ESR	33~18000	6.3~450
	CD26D	HIGH RIPPLE CURRENT,ULTRA LOW ESR	100~3300	6.3~16
AXIAL TYPE	CD95	LOAD LIFE	0.47~10000	6.3~160

SNAP & SCREW LARGE ALUMINUM ELECTROLYTIC CAPACITOR

CLASS	GB STANDARD	FEATURES	CAPACITANCE(UF)	RATED VOLTAGE(V.DC)
LARGE	CD293	SNAP-IN STANDARD	68~82000	10~500
	CD92	SCREW,HIGH VOLTAGE,LARGE CAPACITY	10~100	2200~470000



MOTOR STARTING CAPACITOR

B1




- * METALLIZED MOTOR STARTING CAPACITOR CBB60,CBB61
- * POLYESTER FILM CAPACITOR CL11
- * METALLIZED POLYESTER FILM CAPACITOR CL21
- * METALLIZED POLYPROPYLENE FILM CAPACITOR CBB21
- * SUBMINIATURE METALLIZED POLYESTER FILM CAPACITOR CL21X
- * POLYPROPYLENE FILM CAPACITOR CBB13
- * POLYPROPYLENE FILM CAPACITOR CBB81
- * METALLIZED POLYESTER CAPACITOR(BOX) CL21B
- * METALLIZED POLYPROPYLENE FILM CAPACITOR(BOX) CBB21B
- * METALLIZED POLYPROPYLENE FILM CAPACITOR,CLASS X1
- * METALLIZED POLYPROPYLENE FILM CAPACITOR,CLASS X2
- * METALLIZED POLYESTER FILM CAPACITOR-AXIAL CL20
- * METALLIZED POLYESTER CAPACITOR(BOX) CL23B


B2




- * SUPER CAPACITOR
- * GOLD CAPACITOR
- * FARAD CAPACITOR
- * COIN TYPE(C,H,V)
- * RADIAL TYPE
- * MODULE TYPE



- * TANTALUM CAPACITOR
- * SMD & DIP



* MULTILAYER CERAMIC CAPACITOR



* CERAMIC CAPACITOR



* CHIP TYPE ALUMINUM ELECTROLYTIC CAPACITOR(SMD)



* CAPACITOR SMD



CAPACITOR SMD

CAPACITY: 1PF---47UF

VOLTAGE: 6.3V---5000V

SIZE: 0201, 0402, 0603, 0805, 1206, 1210, 1808, 1812, 2220

TOLERANCE: 1%, 2%, 5%, 10%, 20%



- * CARBON RESISTORS CF / RT
- * METAL FILM RESISTORS MF / RT
- * METAL OXIDE FILM RESISTORS MF / RT
- * FIXED WIREWOUND CEMENT RESISTOR
- * CEMENT FIXED RESISTOR





RESISTOR SMD

RESISTANCE VALUE: 0R---10M OHM
 SIZE: 0201, 0402, 0603, 0805, 1206, 1210, 1812, 2010, 2512
 TOLERANCE: 1%, 5%

* RESISTOR SMD

C1



- * VARISTOR
- * NTC THERMISTOR
- * PTC THERMISTOR
- * TEMPERATURE SENSOR



D1

GENERAL APPLICATION:

HIGH COUNTER PRESSURE AND HIGH POWER TRANSISTOR
ACOUSTICS MATCHED PAIR TRANSISTOR
GENERAL PURPOSE TRIDE(MONO TRANSISTOR)
GENERAL PURPOSE TRIODE(MATCHED PAIR TRANSISTOR)
SWITCH TRANSISTOR FOR ENERGY-SAVING LAMP, BALLAST
THYRISTOR, MOSFETS

PACKAGE: TO-3, TO-92, TO-220, TO-126, TO-3PFM, TO-3P(N), TO-3PML, TO-3PL, MT200

PART NUMBER: 2SC1413, 2SC1942, 2SC2445, 2SC4706, 2SC4745...

2SD1555, 2SD1556, 2SD1650, 2SD1651, 2SD1652...

2SA1186, 2SA1216, 2SA1295, 2SA1301, 2SA1302...

2N3055, 2N3773, 2N6690, 2N5401, 2N5551...

MJ13001, MJ13005, MJ15003, MJ15004, MJ15015...

TIP41, TIP42, TIP41C, TIP42C, TIP3055, TIP2955...

BT136, BT137, BT151, BT169D, BTA12, BTA16, BTA41...

IRF530, IRF630, IRF640, IRF830, IRFZ44N...

2N222A, 2N3442, 2N3771, 2P2M, 2P4M, 2P6M...


BC546, BC547, BC548, 557, BC558, BC637...

BD136, BD137, BD138, BD139, BD140, BD178...

LM78L05, LM7806, LM7808, LM7809, LM7812...

STR370, STR371, STR380, STR381, STR457...

FOR MOR PART NUMBER, PLEASE VISIT OUR WEBSITE [HTTP://WWW.SPIKE-COMPONENTS.COM](http://WWW.SPIKE-COMPONENTS.COM)



SILICON RECTIFIER, DIODE:

1A1-1A7

IN5400-IN5408

RL251-RL257

1N4001-IN4007

RL101-RL107

6A05-6A10

SILICON FAST-RECOVERY RECTIFIER, DIODE:

FR101-FR107

FR201-FR207

FR301-FR307

IN4933-IN4937

BA157-BA159

FR151-FR157

FR251-FR257

FR601-FR607

IN4942-IN4948

ULTRA FAST RECTIFIER, DIODE:

UF4001-UF4007

UF1001-UF1007

UF5400-UF5407

UF3001-UF3007

ZENER DIODE:

IN5221B-IN5257B

BZX55-C2V4-BZX55-C36

HZ2B-HZ36

IN4728-IN4764

ULTRA FAST SWITCHING RECTIFIER, DIODE:

UF800-UF808

UF1000-UF1008

MUR1600-MUR1680

PLASTIC BIDIRECTIONAL DIAC, DIODE:

DB3-DB8


SURFACE MOUNT DEVICE RECTIFIER, DIODE:

M1-M7

S2A-S2M

S3A-S3M

S1A-S1M



IN5391-IN5339

RL201-RL207

BRIDGE RECTIFIR:

W005-W10

DB101-DB107

RS201-RS207

RS301-RS307

KBL005-KBL10

RS601-RS607

KBU6A-KBU6M

KBPC401-410

KBPC801-810

RS801-RS807

KBPC1001-1010

KBPC2505-2510

KBPC5005-5010

RB151-RB157

DB151-DB157


KBP005-KBP10

RS401-RS407

KBPC601-610

KBPC1505-1510

KBPC3505-3510



LED DIFFUSE



- LED (3MM 5MM,8MM,10MM) DIFFUSE RED
- LED (3MM 5MM,8MM,10MM) DIFFUSE YELLOW
- LED (3MM 5MM,8MM,10MM) DIFFUSE BLUE
- LED (3MM 5MM,8MM,10MM) DIFFUSE GREEN
- LED (3MM 5MM,8MM,10MM) DIFFUSE WHITE

LED WATER CLEAR

- LED (3MM 5MM,8MM,10MM) WATER CLEAR HIGH BRIGHT BLUE
- LED (3MM 5MM,8MM,10MM) WATER CLEAR ULTRA BRIGHT PURE GREEN
- LED (3MM 5MM,8MM,10MM) WATER CLEAR ULTRA BRIGHT BLUE GREEN
- LED (3MM 5MM,8MM,10MM) WATER CLEAR ULTRA BRIGHT WHITE
- LED (3MM 5MM,8MM,10MM) WATER CLEAR U-B ORANGE RED
- LED (3MM 5MM,8MM,10MM) WATER CLEAR ULTRA BRIGHT YELLOW

NEON LAMP

- 3MM 5MM,8MM,10MM DIFFERENT COLOUR



- LED DISPLAY
- LED CLUSTER
- LED AREA DISPLAY
- LED INFRARED EMTYTING DIODE
- LED PHOTOTRANSISTOR AND PIN PHOTODIODE
- LED CAR LIGHT
- LED SRTIP LIGHT
- LED HOME LIGHTING



LED DISPLAY
LED CLUSTER
LED AREA DISPLAY
LED INFRARED EMTTING DIODE
LED PHOTOTRANSISTOR AND PIN PHOTODIODE
LED CAR LIGHT
LED SRTIP LIGHT
LED HOME LIGHTING
LED EMERGENCY LAMP

F3




LAMP HOLDER



LED FLUORESCENT LAMP


F4




PIN TYPE EI TYPE IRON POWER TRANSFORMER
ENCAPSULATION IRON TRANSFORMER
EE/EI/ER/EER TYPE TRANSFORMER
LEAD WIRE IRON POWER SUPPLY TRANSFORMER
SMD TYPE TRANSFORMER
P,RM TYPE TRANSFORMER
ELECTRIC WELDING MACHINE TRANSFORMER/INDUCTOR
ET,UI,UU,UF TYPE COMMON FILTER
T TYPE COIL
I TYPE INDUCTOR
BAR INDUCTOR(R TYPE FLOW RESISTANCE COIL)
UI SERIES IRON TRANSFORMER(OR INDUCTOR)
THREE PHASE(SERIES TRANSFORMER)
SIGLE-PHASE EI IRON POWER TRANSFORMER
CD TYPE TRANSFORMER(INDUCTOR)
IRON INDUCTOR




AXIAL COLOR RING INDUCTOR



EE CORE
EI CORE
ER CORE
EFD CORE
UF、UI CORE
H CORE



SMD & DIP
INDUCTORS & MAGNETIC PEARL



CO ALARM SENSOR
GAS SENSOR
PYROELECTRIC INFRARED RADIAL SENSOR
PIR SENSOR
PIR SENSOR MODULE
LIGHT SENSOR

HUMIDITY SENSOR HS1101 / HS1101LF
MINIATURE TEMPERATURE AND RELATIVE HUMIDITY SENSOR HTU11/HTU10
HTU21D SENSOR-MINIATURE RELATIVE HUMIDITY AND TEMPERATURE SENSOR
TEMPERATURE AND HUMIDITY MODULE HTF3226LF
TEMPERATURE AND HUMIDITY MODULE HTF 3223LF
RELATIVE HUMIDITY SENSOR HM1500/HM1500LF
RELATIVE HUMIDITY MODULE HM1520LF
HUMIDITY MODULE HTG3515CH
RELATIVE HUMIDITY AND TEMPERATURE MODULE-HTG3835CH
ANALOG VOLTAGE RELATIVE HUMIDITY AND TEMPERATURE MODULE-HTG3535PVBL
TEMPERATURE AND RELATIVE HUMIDITY SENSOR- HTS2030SMD
TEMPERATURE AND HUMIDITY CAPACITIVE SENSOR-HTS2230SMD



Signal Relay
Power Relay
Latching Relay
Automotive Relay
Module Hermetically Sealed Relay
Industrial Relay
Safety Relay
Relay Socket



REFRIGERATION COMPRESSOR PROTECTOR STARTER
LDR SENSOR




DC FAN & AC FAN



MICROPHONE




BUZZER - PIEZOELECTRIC
BUZZER - ELECTROMAGNETIC



CERAMIC PIEZO



SPEAKER





QUARTZ CRYSTAL
QUARTZ OSCILATOR
CERAMIC RESONATOR
CERAMIC FILTER
SAW FILTER
SAW RESONATOR





THERMAL PROTECTOR
THERMAL FUSE CERAMIC FUSE TUBE
GLASS FUSE TUBE(QUICK ACTING AND SLOW-BLOW)
GLASS FUSE TUBE(QUICK ACTING OF HEAVY CURRENT)
TEMPERATURE LIMIT FUSE AUTO FUSE
FUSE CLIP AND FUSE HOLDER



SWITCHING SPARK GAP
ELECTRODE GAS DISCHARGE TUBE
ELECTRODE GAS DISCHARGE TUBE
PASTER TYPE GAS DISCHARGE TUBE

REED SWITCH

K1



HEAT SHRINKABLE TUBE



OVERLOAD PROTECTING SWITCH
L2-10A
WH-501T-50A
WH-201D-10A
WH201C-10A



ROCKER SWITCH
PUSH SWITCH
PUSH BUTTON SWITCH
TOGGLE SWITCH
MICRO SWITCH
SLIDE SWITCH
TACT SWITCH

L1



CABLE TIE



MULTIMETER




TEST PEN



ELECTRONIC SCALE







THERMOELECTRIC COOLER



KSD301 SERIES TEMPERATURE CONTROLLER



PLUG-IN TERMINAL
PCB SCREW TERMINAL BLOCK
PCB SPRING TERMINAL BLOCK
THROUGH TERMINAL BLOCK
BARRIER TYPE TERMINAL BLOCK
IC HOLE PIN FEMALE HEADER




DIP SWITCH



BATTERY HOLDER
BATTERY SNAP
BATTERY SEAT



VARIABLE HF ATTENUATOR





CONNECTOR & ADAPTOR





PLUG

CABLE & WIRE



HDMI CABLE
WIRE HARNESS
TELEPHONE CABLE
RCA CABLE
RG6, RG58, RG59, 3C-2V WIRE
FLAT WIRE





WIRELESS DOORBELL




PCB



COPPER CLAD LAMINATE



REMOTE CONTROL
OEM & ODM WELCOME



MP3 AUDIO & VIDEO MODULE
TM2803RLX VER:05; TM2803RL MP3/WMA/LINE In/4 Key With LCD & Remote(AC9V)
TM2622L VER:03; TM2622 USB-MP3,LCD,4 Key(DC12V)
TM1522R USB-MP3/IR 5V
TM2533RL V12 USB-WMA/MP3,IR,LCD,3Key,(DC12V)
TB2013 VER:03 Bluetooth CSR BC05 /USB/SD-MP3,WMA,FM,With LCD & Remote control,3 Key



INDOOR ANTENNA
OUTDOOR ANTENNA
CAR ANTENNA
GPS ANTENNA
DVB-T ANTENNA
HIGH FREQUENCY ANTENNA



U1



AC/DC ADAPTOR
DC/DC ADAPTOR
AC/DC CHARGER
DC/DC CHARGER



SPEAKER BOX

V1

NOTEBOOK

NOTEBOOK

PA SERIES-ACTIVE/PASSIVE



MAX0405A

With MP3, FM, USB, SD Card input



MAX0605

With MP3, FM, USB, SD Card input
Wireless microphone, sound recording function



BT-B0810



BT-3C0810

With MP3, FM, USB, SD Card input



BT-3M0810S

With MP3, FM, Bluetooth, USB, SD Card input



BT-3M1015S

With MP3, FM, Bluetooth, USB, SD Card input



BT-3M1225S

With MP3, FM, Bluetooth, USB, SD Card input



BT-3M1525S

With MP3, FM, Bluetooth, USB, SD Card input



BT-3J1525S

With MP3, FM, Bluetooth, USB, SD Card input



BT-3A1525S

With MP3, FM, Bluetooth, USB, SD Card input



BT-3L1525S

With MP3, FM, Bluetooth, USB, SD Card input



BT-3C1525S

With MP3, FM, Bluetooth, USB, SD Card input



MAX15RB

With MP3, FM, Bluetooth, USB, SD Card input



MAX15RA

With MP3, FM, Bluetooth, USB, SD Card input



BT-3R1525S

With MP3, FM, Bluetooth, USB, SD Card input



BT-3M1515SL

With MP3, FM, Bluetooth, USB, SD Card input

PA SERIES-ACTIVE WITH BATTERY



BT-3M1212BWR

With MP3, FM, USB, SD Card input
2VHF Wireless microphone, sound recording function



BT-3M1515BWR

With MP3, FM, USB, SD Card input
2VHF Wireless microphone, sound recording function



BT-3H1212BWR

With MP3, FM, USB, SD Card input
2VHF Wireless microphone, sound recording function



BT-3H1515BWR

With MP3, FM, USB, SD Card input
2VHF Wireless microphone, sound recording function

PROFESSIONAL SOUND SYSTEM



BT-AM400P

- Combine individual tone controls, multiple digital effects and stereo individual output and MP3 player input in one integrate audio system.
- Highly designed composite enclosures for durability, lightweight, and acoustic performance.
- 400 watt High-Performance Powered Speaker System.
- 8 channel powered mixer with intuitive interface.



BT-AM800P

- Combine individual tone controls, multiple digital effects and stereo individual output and MP3 player input in one integrate audio system.
- Highly designed composite enclosures for durability, lightweight, and acoustic performance.
- 50/300/500 watt High-Performance Powered Speaker System.
- 9 channel powered mixer with intuitive interface.
- 2 VHF wireless microphone Frequency range:170-260Hz.
- With rechargeable battery 12V,10AH (for 75W+75W) .



BT-AM8612U



BT-AM8600U



BT-AM600P

ALL-IN-ONE NOTEBOOK ADAPTOR



PSNC-80M

Input:AC100-240V,50/60Hz
Output:DC15/16/18/19/19.5/20/24V,80W max
USB output:5V,1A



PSNC-80MU

Input:AC100-240V,50/60Hz
Output:DC15/16/18.5/19/19.5/20/24V,80W max
USB output:2x5V,1A



PSNC-120MA

Input:AC100-240V,50/60Hz
Output:DC15/16/18.5/19/19.5/20V,120W max
USB output:2x5V,1A



PSNC-120MU

Input:AC100-240V,50/60Hz
Output:DC15/16/18.5/19/19.5/20V,120W max
USB output:5V,1A



PSNC-80MD

Input:AC100-240V,50/60Hz
Output:DC15/16/18/19/19.5/20/24V,80W max
USB output:2x5V,1A



PSNC-90M

Input:AC100-240V,50/60Hz
Output:DC15/16/18/19/19.5/20/24V,90W max
USB output:2x5V,1A



PSNC-120M

Input:AC100-240V,50/60Hz
Output:DC15/16/18.5/19/19.5/20V,120W max



PSNC-75MS

Input:AC100-240V,50/60Hz
Output:Optional current and optional voltage,power upto 75W

UNIVERSAL AC/DC, DC/DC ADAPTOR



PST-1000M

Input:AC100-240V,50/60Hz
Output:DC3/4.5/5/6/7.5/9/12V,1000mA max
USB output:5V,1A



PST-1800M

Input:AC100-240V,50/60Hz
Output:DC3/4.5/6/7.5/9/12V,1800mA max
USB output:5V,1.5A



PST-2500M

Input:AC100-240V,50/60Hz
Output:DC3/4.2/5/6/6.5/8.4V,2500mA max
USB output:5V,2A



PST-1500M

Input:AC100-240V,50/60Hz
Output:DC3/4.5/5/6/7.5/8.4V,9/12V,1500mA max



PST-1280D

Input:AC100-240V,50/60Hz
Output:DC3/4.5/5/6/7.5/8.4/9/12V,1280mA max
USB output:5V,1A



PST-1280M

Input:AC100-240V,50/60Hz
Output:DC3/4.5/5/6/7.5/8.4/9/12V,1280mA max
USB output:5V,1A



PST-1000/1800/2500M

Input:AC100-240V,50/60Hz
Output:DC3/4.5/5/6/7.5/8.4/9/12V,1000/1800/2500mA max
PST-1000M USB output:5V,1A
PST-1800M USB output:5V,1.5A
PST-2500M USB output:5V,2A



PSA-2005U

Input:DC12-24V
USB output:2x5V,1A

SMART-HOME ACCESSORIES




86 TYPE: ONE, TWO AND THREE WAY REMOTE SWITCH




220V TYPE: ONE, TWO AND THREE WAY REMOTE SWITCH



SINGLE, THREE PHASE-SENSOR SWITCH, INFRARED SENSOR SWITCH, SOUND AND TOUCH SWITCH



INFRARED-REMOTE SOCKET, MECHANICAL-TIMING SOCKET, BIG POWER, 12-WAY REMOTE



WIRELESS REMOTE WATER-CYCLE CONTROLLER, REMOTE CURTAIN CONTROLLER

These products are divided into series of wireless RF remote control and infrared remote control series, traditional welding pattern also intelligent learning pattern, which provides a set of family, hotels, shopping malls, factories, warehouses and other wireless intelligent remote control solutions and products, decentralized control can be centralized control, with total open - off function; at the same time can also be customized according to user needs and market design.

INDUSTRIAL AND SECURITY ACCESSORIES



These products are mainly used in industrial facilities (DC motors, AC motors, garage door motor, tubular motor, electric door motor, rolling door motor, etc.) for remote control up and down, electric doors, electric curtains, etc.; and the security package (all types of AC and DC single and multi-channel wireless remote control switch, etc.); and also provide users with a variety of specific features customized services





ELECTRIC-BICYCLE ALARM, MOTOR CYCLE ALARM, HOME ANTI-THEFT ALARM



SHOCK DOOR MAGNETIC, WIRELESS DOOR MAGNETIC, WIRELESS INFRARED DETECTOR



The above is alarm and its accessories. In addition to the above various models and styles, but also to develop fully customized according to user requirements (such as voice alarm, two-way alarm, multi-zone GSM mobile phone network alarm remote alarm, remote audio, sound and light alarm, etc.).



Receiver Module series is divided into: super-regenerative series and superheterodyne series; super-regenerative series due to the low-cost and easy-use, it is the most widely used, the largest amount of receiver modules, mainly used in ordinary remote control switches, alarms, and other requirements of the receiver module the field is not high; superheterodyne receiver module series, due to adding a lot of interference and special superheterodyne circuit chip, such as the sound frequency stabilization, high cost, mainly used in motor control, industrial control, stability and higher immunity requirements in the field, such as: electric retractable door, road gates, garage doors, electric curtains, remote control movements, etc



Our remote control is based on .RF. The various frequencies can be customized; fixed code (2262,, 2260,2264, coding IC) learning code (1527,2240, SCM coding), mobile code (301,200 coding IC) three categories; solid code mainly for alarm remote control switches and other fields, while users can request a special order, including the shell mold, PCB size and specific functions